



❧ Book of Traceable Heraldic Art ❧



Volume 3:  
Field Divisions

# Two-Part Field Divisions



Equal field division. May use any two tinctures.

Per Bend 3.3





Equal field division. May use any two tinctures.

Use with charges is a Step From Period Practice (SFPP).

This form of bevil is found in Legh's *Accidence of Armory*, 1586 and is figure "C" in the 1992-08 LoAR cover letter, "A Bevil Made Me Do It."

**Per Bend Bevilled (1) • 3.4**





Equal field division. May use any two tinctures.

Use with charges is a Step From Period Practice (SFPP).



This style of bevil is shown as figure "D" and described as acceptable in the 1992-08 LoAR cover letter, "A Bevil Made Me Do It."

**Per Bend Bevilled (2) 3.5**





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Bend Embattled* • 3.6



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



**Per Bend Engrailed** 3.7



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Bend Dovetailed* • 3.8





Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Bend Indented (1)* 3.9



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvôr silfrhárr. Adapted by Mathghamhain Ua Ruadháin.



**Per Bend Indented (2) 3.10**



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.



Illustrator: Vémundr Syvursson.

*Per Bend Nebuly* 3.11





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Bend Raguly* • 3.12



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.



*Per Bend Rayonny* • 3.13



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.



Illustrator: Vémundr Syvursson.

*Per Bend Potenty* • 3.14



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Bend Wavy* 3.15





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Illustrator: Vémundr Syvursson.



*Per Bend Urdy* • 3.16





Equal field division. May use any two tinctures.

*Per Bend Sinister* • 3.17




Equal field division. May use any two tinctures.

Use with charges is a Step From Period Practice (SFPP).

This form of bevil is found in Legh's *Accidence of Armory*, 1586 and is figure "C" in the 1992-08 LoAR cover letter.

**Per Bend Sinister Bevilled (1) • 3.18**





Equal field division. May use any two tinctures.

Use with charges is a Step From Period Practice (SFPP).



This style of bevil is shown as figure "D" and described as acceptable in the 1992-08 LoAR cover letter.

**Per Bend Sinister Bevilled (2) • 3.19**





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Bend Sinister Dovetailed* • 3.20





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Bend Sinister Embattled* • 3.21





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Bend Sinister Indented* • 3.22



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Bend Sinister Wavy* • 3.23





Equal field division. May use any two tinctures.

Must issue from sides of device. Must be centered on the fess line. Angle may be narrower or wider than 90°. This is a pointy chevron.

**Per Chevron (1) • 3.24**







Equal field division. May use any two tinctures.

Must issue from sides of device. Must be centered on the fess line. Angle may be narrower or wider than 90°. This is a squarish chevron.



*Per Chevron (2)* 3.25



Equal field division. May use any two tinctures.

Must issue from sides of device. Must be centered on the fess line. Angle may be narrower or wider than 90°. This is a flatter chevron.



*Per Chevron (3)* • 3.26



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



Illustrator: Vémundr Syvursson.

*Per Chevron Dovetailed* • 3.27



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



**Per Chevron Embattled (1) • 3.28**



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvôr silfrahárr. Adapted by Mathghamhain Ua Ruadháin.

**Per Chevron Embattled (2) • 3.29**





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

**Per Chevron Engrailed** • 3.30



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Chevron Inverted* • 3.31





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvôr silfrhárr. Adapted by Mathghamhain Ua Ruadháin.

*Per Chevron Nebuly* 3.32







Equal field division. May use any two tinctures.

Must issue from sides of device. Must be centered on the fess line. Angle may be narrower or wider than 90°.

*Per Chevron Ployé* • 3.33





Equal field division. May use any two tinctures.

Must issue from sides of device. Must be centered on the fess line. Angle may be narrower or wider than 90°.



Illustrator: Vémundr Syvursson.

**Per Chevron Ployé Flory at the Point • 3.34**



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Chevron Rayonny* • 3.35





Equal field division. May use any two tinctures.

Issues from near lower corners of device and reaches the center chief.

Similar to an overly-wide pile inverted, but functions as a field division rather than a charge.



**Per Chevron Throughout • 3.36**



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvôr silfrhárr. Adapted by Mathghamhain Ua Ruadháin.



*Per Chevron Urdy* 3.37



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvôr silfrhárr. Adapted by Mathghamhain Ua Ruadháin.

**Per Chevron Urdy (2) 3.38**



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.



*Per Chevron Urdy (3)* • 3.39



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Chevron Urdy (4)* 3.40







Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Chevron Wavy* 3.41





Equal field division. May use any two tinctures.  
Must issue from sides of device. Must be centered on the fess  
line. Angle may be narrower or wider than 90°.

*Per Chevron Inverted* • 3.42





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Chevron Inverted Embattled* • 3.43





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

**Per Chevron Inverted Engrailed** 3.44




Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Chevron Inverted Inverted* • 3.45



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

**Per Chevron Inverted Rayonny • 3.46**





Equal field division. May use any two tinctures.

Issues from near upper corners of device and reaches the center base.

Similar to an overly-wide pile, but functions as a field division rather than a charge.

## Per Chevron Inverted Throughout 3.47





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvôr silfrhárr. Adapted by Mathghamhain Ua Ruadháin.



**Per Chevron Inverted Urdy 3.48**







Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Chevron Inverted Wavy* • 3.49





Equal field division. May use any two tinctures.

Per Fess 3.50





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Fess Dovetailed* • 3.51



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Fess Embattled* 3.52



Equal field division. May use any two tinctures.



Enarched is treated as a division per fess with a complex line, although for conflict checking it is considered equivalent to a plain division per fess.

*Per Fess Enarched* • 3.53



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Fess Engrailed* • 3.54



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Illustrator: Vémundr Syvursson.

**Per Fess Fleury Counter-Fleury** 3.55





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

Illustrator: Vémundr Syvursson.



*Per Fess Trefly Counter-trefly* • 3.56







Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Fess Inverted* 3.57





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Fess Indented (1)* 3.58





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Fess Indented (2)* • 3.59





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Fess Nebuly* • 3.60





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Fess Raguly* • 3.61





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Fess Rayonny* • 3.62



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Fess Urdy* • 3.63



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Fess Wavy* • 3.64







Equal field division. May use any two tinctures.

*Per Fess With A Left Step* • 3.65





Equal field division. May use any two tinctures.

*Per Fess With A Right Step* 3.66





Equal field division. May use any two tinctures.

*Per Pale* • 3.67





Equal field division. May use any two tinctures.  
Never registered in the SCA, but believed to be valid as “per pale angled reversed” was registered and “per pale angled” is documented in Stephen Friar’s “Dictionary of Heraldry” as well as a book by Carl-Alexander von Volborth.

*Per Pale Angled* • 3.68





Equal field division. May use any two tinctures.  
Only registered once, in 1985, but believed to be valid as “per pale angled” is documented in Stephen Friar’s “Dictionary of Heraldry” as well as a book by Carl-Alexander von Volborth.

*Per Pale Angled Reversed* • 3.69





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Pale Dovetailed* • 3.70



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.



*Per Pale Embattled* • 3.71



Equal field division. May use any two tinctures, except sable and purple or sable and azure.



*Per Pale Engrailed* • 3.72







Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Pale Fleury Counter-Fleury* • 3.73





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Pale Indented (1)* • 3.74





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Pale Indented (2)* 3.75





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Pale Inverted* • 3.76





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Pale Nebuly* • 3.77





Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Pale Raguly* • 3.78



Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Pale Rayonny* • 3.79





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Pale Wavy* • 3.80





# Four- & Six- Part Field Divisions



Equal field division. May use any two tinctures.



*Per Saltire* • 3.82



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.



Illustrator: Vémundr Syvursson.

*Per Saltire Indented* 3.83





Equal field division. May use any two tinctures.

*Per Saltire Arrondi* • 3.84





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Saltire Wavy* • 3.85





Equal field division. May use any two tinctures.



Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

**Quarterly Indented** • 3.87





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

Illustrator: Vémundr Syvursson.



Quarterly Embattled • 3.88







Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

Quarterly Rayonny • 3.89





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

**Quarterly Wavy** • 3.90




Equal field division. May use any two tinctures.

Quarterly Arrondi 3.91




Equal field division. May use any two tinctures, except sable and purple or sable and azure.

*Per Fess and Per Pale Wavy* • 3.92





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Pale and Per Fess Embattled* • 3.93





Equal field division. May use any two tinctures, except sable and purpure or sable and azure.

*Per Pale and Per Fess Indented* • 3.94



Equal field division. Must use two contrasting tinctures.



*Per Pale and Per Chevron* • 3.95



Equal field division. Must use two contrasting tinctures.



*Per Saltire and Per Fess* • 3.96







Equal field division. Must use two contrasting tinctures.

*Per Saltire and Per Pale* • 3.97





Equal field division. Must use two contrasting tinctures.

# Three- & Five- Part Field Divisions





Threefold field division. One tincture must have good contrast with its neighbors.  
Also blazoned "tierced in point."

*Per Pall* • 3.100





Threefold field division. One tincture must have good contrast with its neighbors.

*Per Pall Arrondi* • 3.101





Threefold field division. One tincture must have good contrast with its neighbors.

*Per Pall Inverted* • 3.102



Threefold field division. One tincture must have good contrast with its neighbors.

*Per Pall Inverted Arrondi* • 3.103




Threefold field division. One tincture must have good contrast with its neighbors.  
Similar to “per pall arrondi,” sometimes blazoned “tierced in gyrons arrondi,” or in German “Schneckendreipass” (snail-three-parted).

Source: Siebmacher’s Wappenbuch of 1605. Artist: Johann Sibmacher.

**Gyronny of 3 Arrondi** • 3.104







Threefold field division. One tincture must have good contrast with its neighbors.  
Similar to “per pall arrondi,” sometimes blazoned “tierced in gyrons arrondi,” or in German “Schneckendreipass” (snail-three-parted).



Source: Siebmacher’s Wappenbuch of 1605. Artist: Johann Sibmacher.

**Gyronny of 3 Arrondi (Widdershins) • 3.105**




Threefold field division. May use any three tinctures.  
Blazoned "per fess, per pale *tincture* and *tincture*, and *tincture*."

Per Fess and Per Pale (1) 3.106





Threefold field division. May use any three tinctures.  
Blazoned “per fess *tincture* and per pale *tincture* and *tincture*.”

**Per Fess and Per Pale (2) • 3.107**



Unequal field division. Must use two contrasting tinctures.


The central area is blazoned first, then the corners, as "*tincture chapé tincture*." Term is French, suggesting the upper corners are "cloaked" or "mantled." Corners are typically not charged. Issues from sides of device and reaches the center chief. Equivalent to "per chevron throughout."



Unequal field division. Must use two contrasting tinctures.

The central area is blazoned first, then the corners, as "*tincture chapé tincture.*" Term is French, suggesting the upper corners are "cloaked" or "mantled." Corners are typically not charged. Issues from sides of device and reaches the center chief.


Chapé Ployé • 3.109



Unequal field division. Must use two contrasting tinctures.

The central area is blazoned first, then the corners, as "*tincture chaussé tincture*." Term is French, suggesting the lower corners are "shod." Corners are typically not charged. Issues from chief corners of device and reaches the center base. Similar to a pile throughout, but stretches the full width of the chief and is treated as a field division rather than a charge.


**Chaussé • 3.110**



Unequal field division. Must use two contrasting tinctures.

The central area is blazoned first, then the corners, as "*tincture chaussé ployé tincture*." Term is French, suggesting the lower corners are "shod." Corners are typically not charged. Issues from chief corners of device and reaches the center base. Similar to a pile throughout, but stretches the full width of the chief and is treated as a field division rather than a charge.


**Chaussé Ployé** • 3.111



Unequal field division. Must use two contrasting tinctures.

The central area is blazoned first, then the corners, as “tincture vêtu tincture.” Term is French, suggesting the corners are “vested.” Corners are typically not charged. Issues from sides of device and reaches the center chief and center base. Similar to a lozenge throughout, but is treated as a field division rather than a charge.







Unequal field division. Must use two contrasting tinctures.

The central area is blazoned first, then the corners, as "*tincture vêtu tincture.*" Term is French, suggesting the corners are "vested." Corners are typically not charged. Issues from sides of device and reaches the center chief and center base. Similar to a lozenge ployé throughout, but is treated as a field division rather than a charge.



**Vêtu Ployé** • 3.113

# Striped Fields





Equal field division. Must use two contrasting tinctures.

**Barry (of 6)** • 3.115





Equal field division. Must use two contrasting tinctures.

**Barry (of 8)** 3.116





Equal field division. Must use two contrasting tinctures.

Barry (of 10) 3.117





Equal field division. Must use two contrasting tinctures.

Barry (of 12) 3.118



Equal field division. Must use two contrasting tinctures.



Barry Engrailed 3.119



Equal field division. Must use two contrasting tinctures.

**Barry Inverted** • 3.120







Equal field division. Must use two contrasting tinctures.



Source: Viking Answer Lady SVG Images For Heraldry. Artist: Gunnvör silfrhárr.  
Adapted by Mathghamhain Ua Ruadháin.

**Barry Nebuly** 3.121





Equal field division. Must use two contrasting tinctures.

**Barry Wavy (of 6) • 3.122**





Equal field division. Must use two contrasting tinctures.

**Barry Wavy (of 8) • 3.123**





Equal field division. Must use two contrasting tinctures.

**Bendy (of 6) • 3.124**





Equal field division. Must use two contrasting tinctures.

**Bendy (of 8)** • 3.125





Equal field division. Must use two contrasting tinctures.

**Bendy (of 10)** • 3.126



Equal field division. Must use two contrasting tinctures.  
Illustrator: Vémundr Syvursson.

**Bendy Breressed** • 3.127





Equal field division. Must use two contrasting tinctures.

Illustrator: Vémundr Syvursson.



**Bendy Wavy** • 3.128







Equal field division. Must use two contrasting tinctures.

**Bendy Sinister (of 6)** • 3.129





Equal field division. Must use two contrasting tinctures.

**Bendy Sinister (of 8)** • 3.130





Equal field division. Must use two contrasting tinctures.

**Bendy Sinister (of 10)** • 3.131





Equal field division. Must use two contrasting tinctures.

**Chevronelly (of 6)** 3.132





Equal field division. Must use two contrasting tinctures.

**Chevronelly (of 8) • 3.133**





Equal field division. Must use two contrasting tinctures.

**Chevronelly (of 10) • 3.134**



Equal field division.  
Must use two contrasting tinctures.  
Considered a Step From Period  
Practice (SFPP).



**Chevronally Issuant From Dexter • 3.135**



Equal field division.  
Must use two contrasting tinctures.  
Considered a Step From Period  
Practice (SFPP).



**Chevronally Issuant From Sinister • 3.136**







Equal field division. Must use two contrasting tinctures.

**Chevronelly Inverted (of 6)** • 3.137





Equal field division. Must use two contrasting tinctures.

**Chevronelly Inverted (of 8) • 3.138**





Equal field division. Must use two contrasting tinctures.

**Chevronelly Inverted (of 10)** 3.139





Equal field division. Must use two contrasting tinctures.

*Paly (of 6)* 3.140





Equal field division. Must use two contrasting tinctures.

*Paly (of 8)* • 3.141





Equal field division. Must use two contrasting tinctures.

*Paly (of 10)* 3.142



Equal field division. Must use two contrasting tinctures.



*Paly (of 12)* 3.143



Equal field division. Must use two contrasting tinctures.

Paly (of 16) 3.144







Equal field division. Must use two contrasting tinctures.



*Paly Dancetty* • 3.145

# Combined Field Divisions





Equal field division. Must use two contrasting tinctures.

**Barry Bendy (of 6) • 3.147**





Equal field division. Must use two contrasting tinctures.

**Barry Bendy (of 8)** 3.148





Equal field division. Must use two contrasting tinctures.

Barry Bendy (of 10) 3.149





Equal field division. Must use two contrasting tinctures.

**Barry Bendy Sinister (of 6)** • 3.150



Equal field division. Must use two contrasting tinctures.



**Barry Bendy Sinister (of 8) • 3.151**



Equal field division. Must use two contrasting tinctures.



**Barry Bendy Sinister (of 10) • 3.152**







Multi-part field division. Must use two contrasting tinctures.

Checky (of 6) 3.153





Multi-part field division. Must use two contrasting tinctures.

Checky (of 8) • 3.154





Multi-part field division. Must use two contrasting tinctures.

Checky (of 9) 3.155





Multi-part field division. Must use two contrasting tinctures.

Checky (of 10) 3.156





Equal field division. Must use two contrasting tinctures.

Checky (of 12) 3.157





Multi-part field division. Must use two contrasting tinctures.

**Lozengy (of 4, 1) • 3.158**



Multi-part field division. Must use two contrasting tinctures.



Lozengy (of 4, 2) • 3.159



Multi-part field division. Must use two contrasting tinctures.



**Lozengy (of 5, 1) • 3.160**







Multi-part field division. Must use two contrasting tinctures.

Lozengy (of 5, 2) • 3.161





Multi-part field division. Must use two contrasting tinctures.

Lozeny (of 6) 3.162





Multi-part field division. Must use two contrasting tinctures.

**Lozengy Barry (of 4) • 3.163**





Multi-part field division. Must use two contrasting tinctures.

**Lozengy Barry (of 5) • 3.164**





Equal field division. Must use two contrasting tinctures.

*Paly Bendy (of 6)* • 3.165





Equal field division. Must use two contrasting tinctures.

**Paly Bendy (of 8)** 3.166



Equal field division. Must use two contrasting tinctures.



**Paly Bendy (of 10) 3.167**



Equal field division. Must use two contrasting tinctures.



**Paly Bendy Sinister (of 6)** 3.168







Equal field division. Must use two contrasting tinctures.

**Paly Bendy Sinister (of 8) • 3.169**





Equal field division. Must use two contrasting tinctures.

**Paly Bendy Sinister (of 10) 3.170**



Equal field division. Must use two contrasting tinctures.

*Paly Chevronelly* • 3.171





Equal field division. Must use two contrasting tinctures.

Illustrator: Vémundr Syvursson.



**Paly Chevronelly Inverted** • 3.172

# Pily Field Divisions





Equal field division. Must use two contrasting tinctures.

**Paly (of 4) • 3.174**



Equal field division. Must use two contrasting tinctures.



*Paly (of 5)* 3.175



Equal field division. Must use two contrasting tinctures.



*Pily Barry (of 4)* 3.176





Equal field division. Must use two contrasting tinctures.



**Pily Bendy (of 4) • 3.177**



Equal field division. Must use two contrasting tinctures.



*Pily Bendy Sinister (of 4)* • 3.178

# Gyronny Field Divisions





Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 6** • 3.180





Multi-part field division. Must use two contrasting tinctures.  
This is the default for a gyronny field if not further blazoned.

**Gyronny (of 8)** • 3.181





Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 10** 3.182



Multi-part field division. Must use two contrasting tinctures.



Gyronny of 12 3.183



Multi-part field division. Must use two contrasting tinctures.



**Gyronny of 16** 3.184





Multi-part field division. Must use two contrasting tinctures.



Gyronny of 20 3.185



Multi-part field division. Must use two contrasting tinctures.

Source: Viking Answer Lady SVG Images For Heralds. Artist: Gunnvôr silfrhárr.  
Adapted by Mathghamhain Ua Ruadháin.



**Gyronny Wavy** 3.186



Multi-part field division.

When a gyronny field is combined with a chief, the gyronny's center shifts downwards.



**Gyronny And A Chief** 3.187



Multi-part field division.



When a gyronny field is combined with a chief, the gyronny's center shifts downwards.

**Gyronny of 12 And A Chief** 3.188





Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 6 From Base** 3.189





Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 6 From Chief** • 3.190



Multi-part field division. Must use two contrasting tinctures.



**Gyronny of 8 From Chief** 3.191



Multi-part field division. Must use two contrasting tinctures.



**Gyronny of 10 From Chief** 3.192






Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 12 From Chief** 3.193





Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 6 From Dexter Chief** • 3.194




Multi-part field division. Must use two contrasting tinctures.

**Gyronny of 12 From Dexter Chief • 3.195**





Multi-part field division. Must use two contrasting tinctures.  
If curves face in the other direction, blazoned "gyronny arrondi  
widdershins."

**Gyronny Arrondi of 6** 3.196




Multi-part field division. Must use two contrasting tinctures.

**Gyronny Arrondi of 6 (Widdershins) • 3.197**





Multi-part field division. Must use two contrasting tinctures.  
If curves face in the other direction, blazoned “gyronny arrondi  
widdershins.”

**Gyronny Arrondi (of 8)** 3.198



Multi-part field division. Must use two contrasting tinctures.


**Gyronny Arrondi (of 8 Widdershins)** 3.199



Multi-part field division. Must use two contrasting tinctures.  
If curves face in the other direction, blazoned "gyronny arrondi  
widdershins."



**Gyronny Arrondi of 12** 3.200






Multi-part field division. Must use two contrasting tinctures.

**Gyronny Arrondi of 12 Widdershins** • 3.201





Multi-part field division. Must use two contrasting tinctures.  
If curves face in the other direction, blazoned "gyronny arrondi  
widdershins."

**Gyronny Arrondi of 16** 3.202



Multi-part field division. Must use two contrasting tinctures.



**Gyronny Arrondi of 16 Widdershins • 3.203**



Multi-part field division.

When a gyronny field is combined with a chief, the gyronny's center shifts downwards.

**Gyronny Arrondi And A Chief • 3.204**



Multi-part field division.

When a gyronny field is combined with a chief, the gyronny's center shifts downwards.

## Gyronny Arrondi of 12 And A Chief • 3.205